



Product Specification

SuperPod WiFi 5

Product code: 900-2052

Access

1GE

Multi Service

App

Cybersecurity

Parental-Control

Motion detector

Adaptive WiFi

WiFi 5

2.4G 2x2

5G 2x2

5G 4x4

OpenSync™ included

HomePass®

WorkPass®



WiFi-Interfaces



Tri-band, tri-concurrent radio operation

- 5 GHz, upper: 4x4 MIMO 802.11ax, 20/40/80 MHz
- 5 GHz, lower: 2x2 MIMO 802.11ax, 20/40/80 MHz
- 2.4 GHz: 2x2 MIMO 802.11ax, 20/40 MHz

Ethernet Interfaces



- 1 port 1 GE for WAN or LAN
- 1 port 1 GE for LAN

IoT-Radio



- Bluetooth Low Energy

Power



- Power Supply: 100 to 240VAC, 50/60Hz
- Plug Type: Swiss Plug
- Power Consumption: 4.5W Standby, 10W Average, 15W Maximum

Environment



- Operating Temperature: 0°C to 40°C
- Operating Relative Humidity: 10% to 90%
- Storage Conditions: -20°C to 70° C 10% to 90% (Relative Humidity)

Networking and Connectivity



- Networking Modes: Auto-sensing Router or Bridge mode
- Firewall and Networking: NAT, DHCP server, UPnP, client IP reservation, port forwarding
- Home SSIDs: Managed with HomePass® or WorkPass®
- Guest Access: Managed with HomePass® or WorkPass®
- Authentication/Encryption: WPA2-PSK






Packaging Content

- High-end single package with 1 SuperPod WiFi 5
- Ethernet cable




Size and Weight

- Size: 96mm W x 87mm H x 36mm D (not including plug)
- Weight: 232g



36mm



96mm

87mm



Interface

